Contents

Marine Geology Volume 74, 1987

Research Papers

The marrhed manie effects of incident more grouniness and tide name on an anapositic heart	
The morphodynamic effects of incident wave groupiness and tide range on an energetic beach L.D. Wright (Gloucester Point, Va., U.S.A.), A.D. Short (Sydney, N.S.W., Australia), J.D. Boon III (Gloucester Point,	
Va., U.S.A.), B. Hayden (Charlottesville, Va., U.S.A.), S. Kimball (Vicksburg, Miss., U.S.A.) and J.H. List (Gloucester	
Point, Va., U.S.A.)	
Circulation and sedimentation of suspended particulate matter in New Zealand fiords	
R.A. Pickrill (Wellington, New Zealand)	. 21
The chemistry and mineralogy of haloed burrows in pelagic sediments at DOMES Site A: the equatorial North Pacific	. 41
D.Z. Piper, P.D. Rude and S. Monteith (Menlo Park, Calif., U.S.A.)	. 41
Mass-wasting features on the continental slope of northwest Europe	19.1
N.H. Kenyon (Godalming, England)	. 5
Age determinations of eastern Pacific seamounts (Henderson, 6 and 7) — Implications for near-ridge and intraplate	
volcanism	
M. Honda, T. Bernatowicz, F.A. Podosek, R. Batiza (St. Louis, Mo., U.S.A.) and P.T. Taylor (Greenbelt, Md., U.S.A.)	. 79
Bioerosion of intertidal limestone, Co. Clare, Eire—1: Paracentrotus lividus	
S.T. Trudgill (Sheffield, England), P.L. Smart, H. Friederich (Bristol, England) and R.W. Crabtree (Birmingham	
England)	
Bioerosion of intertidal limestone, Co. Clare, Eire — 2: Hiatella arctica	
S.T. Trudgill (Sheffield, England) and R.W. Crabtree (Birmingham, England)	. 9
Bioerosion of intertidal limestone, Co. Clare, Eire — 3: Zonation, process and form	
S.T. Trudgill (Sheffield, England)	11
Structural evolution of the Tyrrhenian back-arc basin	
J.P. Rehault, E. Moussat (Villefranche-sur-Mer, France) and A. Fabbri (Bologna, Italy)	. 12
Mineralogy of polymetallic nodules and associated sediments from the Central Indian Ocean Basin	
V.P. Rao (Dona Paula, India)	. 15
Morphology from subaerial erosion of a Mediterranean seamount	
A.M. Barone and W.B.F. Ryan (Palisades, N.Y., U.S.A.)	. 15
Post-Miocene rifting and diapirism in the northern Red Sea	
Y. Mart (Haifa, Israel) and D.A. Ross (Woods Hole, Mass., U.S.A.)	17
Sedimentological significance of strain and sonic velocity anisotropy in fine-grained turbiditic and hemipelagic deep-sec	
sediments — An example from the Mississippi Fan	
A. Wetzel (Tübingen, F.R.G.)	19
The geology and geochemistry of the surficial sediments off Thraki, northern Greece	
C. Perissoratis (Athens, Greece), S.A. Moorby (London, U.K.), C. Papavasiliou (Athens, Greece), D.S. Cronan (London	1,
U.K.), I. Angelopoulos (Athens, Greece), F. Sakellariadou (London, U.K.) and D. Mitropoulos (Athens, Greece)	20
Geotechnical properties and sedimentological processes of the Rhône continental margin	
B. Chassefière (Nice, France) and A. Monaco (Perpignan, France)	22
Local variability of manganese nodule facies on small abyssal hills of the Central Pacific Basin	
A. Usui, A. Nishimura, M. Tanahashi and S. Terashima (Ibaraki, Japan)	23
Late Quaternary plume, nepheloid and turbidite sedimentation and effect of the Gulf Stream near the tail of the Gran	d
Banks, Newfoundland	
M. Alam (Washington, D.C., U.S.A.)	27
Short Note	
Computer characterization of aspects of grain-edge roughness using the scanning electron microscope	
A.T. Williams, R.G. Miles and G. Tough (Mid-Glamorgan, U.K.)	29

Letter Section

Hydrothermal sulfides from a submarine caldera in the Shichito-Iwojima Ridge, northwestern Pacific T. Urabe, M. Yuasa, S. Nakao (Ibaraki, Japan) and on-board scientists Surface current patterns suggested by suspended sediment distribution over the outer continental margin, Bering Sea H.A. Karl and P.R. Carlson (Menlo Park, Calif., U.S.A.)	
Book Reviews	
The Estuary as a Filter by V.S. Kennedy (Editor) — C. Mettam	
	313 341

Guide for Authors

